



Natural Resources  
Canada  
Geomatics Canada

Ressources naturelles  
Canada  
Géomatique Canada



# CanMatrix

## (Raster Topographic Maps)

### Metadata Format

**Centre for Topographic Information  
Customer Support Group**  
2144 King Street West, Suite 010  
Sherbrooke (Quebec) CANADA J1J 2E8  
1 800 661-2638 (Canada and the United States)  
<http://www.ctis.NRCan.gc.ca>

August 2003



Canada

## Table of contents

<u>Purpose</u> .....	1
<u>1- INFORMATION STRUCTURE</u> .....	1
<u>2- FORMAT GENERAL DESCRIPTION</u> .....	1
<u>2.1- File Structure</u> .....	1
<u>2.2- Line Structure</u> .....	1
<u>2.2.1- Comments – Column 1</u> .....	1
<u>2.2.2- Key Words – Columns 2 to 15.</u> .....	2
<u>2.2.2.1- Key Words and Structure related values</u> .....	2
<u>2.2.2.2- Key Words and Specific values</u> .....	2
<u>2.2.2.3- Structure Example</u> .....	2
<u>2.3- Separator – Column 16</u> .....	2
<u>2.4- Values – Columns 17 to 80 inclusively</u> .....	2
<u>3- FORMAT DETAILED DESCRIPTION</u> .....	2
<u>3.1- TERRITORY Sectio2@17e</u> .....	2





- **Number of lines:** The fourth information provides the maximum number of lines that can be used for this key word (example: 4L for 4 lines maximum).

**Example:**

MAP_EDITION	N(2)	A(0)	1L
-------------	------	------	----

### 3.1- TERRITORY Section

The TERRITORY Section initiates the metadata file. It contains the metadata linked to the territory represented. The data must comply with the following format and order.

BEGIN	A(30)	A(0)	1L
-------	-------	------	----

The key word BEGIN is associated with the FILE value to indicate the file's beginning.

BEGIN	A(30)	A(0)	1L
-------	-------	------	----

The BEGIN key word is associated with the TERRITORY\_SECTION value to indicate the beginning of the section.

NTS	A(8)	A(0)	1L
-----	------	------	----

Territory number according to National Topographic System (NTS) sectioning for Canada at 1:50 000 or 1:250 000 scale. For special NTS coverages, the number corresponds to the main sheet coverage. The NTS number format follows these rules:

- 1: 50 000                            031G01                                        6 characters
- 1: 50 000                            031G01\_E and/or 031G01\_W    8 characters (for East and West sheets)
- 1: 250 000                           031G    4 characters

DATA_SET_NAME	A(30)	A(0)	1L
---------------	-------	------	----

Name associated to the data set. The name of a territory deriving from a map sheet (topographic map) border break corresponds to the NTS number.

PROVINCE	A(2)	A(27)	4L
----------	------	-------	----

Provinces (or Territories) ordered by decreasing order of the percentage of territory they occupy. More than one province (or Territory) may be supplied by repeating the key word and by giving different values.

<b>ZONE_NUMBER_2</b>	<b>N(2)</b>	<b>A(0)</b>	<b>1L</b>
----------------------	-------------	-------------	-----------

Value included between 7 and 23 corresponding to the UTM zone.

Note: Secondary UTM zone inside of which a portion of the data set territory may be located. This information is only an indication of the UTM zones touching the territory referred to. The data set cartographic coordinate system never refers to this zone. When a territory is totally located inside a unique UTM zone, this specific UTM zone's value is assigned to ZONE\_NUMBER\_1 and the value «-1» is assigned to ZONE\_NUMBER\_2.

**PCT\_OF\_LAND**                   **N(3)**                   **A(0)**                   **1L**

<b>STYLE_CODE</b>	A(1)	A(15)	1L
-------------------	------	-------	----

This field indicates the map type. 5 values are possible : 'P' for polychrome map; 'M' for monochrome map; 'V' for provisional; 'A' for photomap; 'L' for planimetric.

<b>VALID_DATE</b>	A(10)	A(0)	1L
-------------------	-------	------	----



## EXAMPLE OF A METADATA DATASET

```
BEGIN          FILE
!
BEGIN          TERRITORY_SECTION
NTS            069H13
DATA_SET_NAME  MEIGHEN ISLANDS
PROVINCE       NU (Nunavut)
ZONE_NUMBER_1  14
ZONE_NUMBER_2  -1
PCT_OF_LAND    80
END            TERRITORY_SECTION
!
BEGIN          DATA_SET_SECTION
EDITION_VERSIO 1.00
SPEC            1.0 (Standards 1.0)
DATE_AVAILABLE 2002/06/20
MAP_EDITION    1
EAST_WEST      C (Full)
STYLE_CODE     V (Provisional)
VALID_DATE     1959
PUBLISH_DATE   1965
PLAN_ACCURACY B (50m. (50K)/250m. (250K))
ALTI_ACCURACY  1 (10m. (50K)/50m. (250K))
UNIT_CONTOURS M (Meter)
CONTOUR_INTERV 10
CONT_AUXILIARY 0
DATUM          NAD83 (North American Datum of 1983)
SCAN_RESOLUTIO 3.0000 (m. (423 dpi))
RADIOMETRY    8 (bits)
FORMAT         GEO_TIFF
COMMENT        Has as extrusions / A pour crevé(s) : 069G16 069H11
COMMENT        069H12 069H14
COMMENT        Is an extrusion of / Est crevé de : 560B02
END            DATA_SET_SECTION
!
END            FILE
```

## **APPENDIX A - Domain values and authorized combinations**

Some fields must respect predefined domain values. When an entry contains more than one distinct part, the domain of each part is listed along with its authorized combinations for the entry. The domain values will evolve to better respond to the change of the production environment and then describe the phenomena we want to keep and classify.

### **TERRITORY Section**

#### **NTS**

- Any valid NTS number for Canadian territory at 1:50 000 and 1:250 000 scales.

#### **PROVINCE**

- AB Alberta
- BC British Columbia
- FR France
- GL Greenland
- MB Manitoba
- NB New Brunswick
- NF Newfoundland
- NS Nova Scotia
- NF aNunavut1 Tf-0.4578 -1.2169 TD0 Tc0 Tw()Tj/TT2 1 Tf0.4578 0 TD0.0017tis 66COnnS
-

#### **STYLE\_CODE**

- P Polychrome map
- M Monochrome map
- V Provisional map
- A Photomap
- L Planimetric map

#### **PLAN\_ACCURACY**

- A 25 meters (50K)/75 meters (250K)
- B 50 meters (50K)/250 meters (250K)
- C 75 meters (50K)/375 meters (250K)
- D >100 meters (50K)/>500 meters (250K)
- E Unknown

#### **ALTI\_ACCURACY**

- 0 5 meters (50K)/25 meters (250K)
- 1 10 meters (50K)/50 meters (250K)
- 2 20 meters (50K)/100 meters (250K)
- 3 >20 meters (50K)/>100 meters (250K)
- 4 Unknown

#### **UNIT\_CONTOUR**

- M Meter
- P Foot