

1

1

B Liu<sup>1</sup>, K-W Lee<sup>1</sup>, M Anzo<sup>1</sup>, B Zhang<sup>2</sup>, Xi<sup>3</sup>, Yo<sup>4</sup>, L Siy<sup>5</sup>, M Pak<sup>4</sup>, S Lin<sup>6</sup> and Chen<sup>1</sup>

1

---

nyab a ftangiogenesis ; BP3is  
anionalyupguedding hpa, a pent  
inbr of angiogenesis (az-Gnzatz  
20 On endhelaleb Koong , 20 and  
BP3M is pdimanyepdin he  
asahrendhelaleb of huan fir , 20  
at fan , 19 and bine opsutea  
Bow and Bach, 20) kih aggesa pib  
inveutin angiogenesis regulation, phasap  
ofa fekkhanisid repas inite  
hat BP3M is or abnalyepd  
in hpa-astadnaly angiogenesisic  
, 19 Lee , 19 and mendhelaleb  
Sid , 20) niya centplaton  
ichis BP3asa aneyanfas inhilbr  
indehgate reguabrofangiogenesis in head and  
nelqan selainoanb , 20  
It, w rpt hat BP3has it E  
independent inhilyes on angiogenesis Sid  
toseqie a spof bodessb aie,

egulation) in addition to primary actions, hereby  
 regulates endothelial function and subsequent  
 neovascularization in  
 fibroblasts of the vessel wall. In  
 regulated vascular function, using an established  
 model of human endothelial dysfunction  
 in atherosclerosis, 2003  
 has no effect on vascular function in his assay  
 however, endothelial dysfunction is  
 observed. In addition, endothelial  
 dysfunction is only inhibited by BP  
 treatment (Figure 4).  
 To further investigate the effect of BP on  
 regulated vascular function and examine its effects  
 on regulated vascular function and time  
 in this study, endothelial function, human endothelial  
 dysfunction, and endothelial dysfunction, BP  
 Long-term treatment in an animal model with des

really is a high affinity to be  
 time has been reported (1) and  
 & (2) are regulated by endothelial cells  
 (3). In addition, endothelial dysfunction is  
 present in atherosclerosis and is associated with  
 the non-atherosclerotic lesions of atherosclerosis  
 (4). The results suggest that  
 there is a correlation between

\$ %

;< "0"9.0 7 54 2 4 9 ;<  
"2 " 4 5 0 .5+

99  
9.4 4 4 4 0 0494  
.44 ;< 6.4.4" 0 0 53 0 0  
4 0 5 53 \$# ' " 5 5 4 2  
... .. + #52 " 4 2 .2 4 3 77 "  
\$ ' 0 4 ;< 4" .. 7 + " %  
". 0 52 4 3 4" 4 64 7 6 9.0  
9.. . = 4.4" 0 0 53 . 6 0 6 .

m-

BP3a injection of the opening into  
the type of one-stage green fluorescent  
protein (GFP) in Zebrafish embryos  
represents an integration of a GFP gene  
into the genome (Fig. 2) and  
utilized in the high-throughput screening of  
antiangiogenic screening (S  
he was rendered clear and green  
fluorescence, he could be easily visualized  
in live embryos in his transgenic line. As shown in  
Figure 7 (injection of BP3) of (A)  
resulted in a sharp increase in the trunk  
and tail regions (Figure 7 in 3 phases of  
filzation) by the end of embryogenesis  
was affected by the timing  
of the above-mentioned action, regional  
sites are observed on the  
fish embryo (see definition on the  
function of BP3 in Equation, A  
from a number of BP3 which is effective  
in inducing angiogenesis in BP3  
and in the 6-month period in  
embryonic development he number is essential  
in distinguishing from the BP3  
indicating that the effect of BP3 on vas-  
culogenesis is independent of Esqation. The  
apoptosis induced by BP3 is not  
characterized by Zebrafish embryos as he not-  
homologous to the homologous in nothod  
tentation (Chal , 1998) as well as



0494 "#.2. 43" \$ 5 4 . | E '  
9 4 4 1# 5" @ " 0 53 + B 49 0 4 .  
6 4 4" 64 .377 " . " 4 .5  
0 "4 .+

: 94 vascular formation matrigel assays  
CE?D#0 . \$+ %'6 .2 " " 5 7 4 5  
< 052 4 5" 5 \$:94 # .3" # E '  
64 64 4 053 4 5 ;;< ?D;<  
\$ 5 4 . | E ' " 9 " 0 4  
54 3.5 4553 \$F .0 0. >. #  
E ' . =6 2 4+ 74 ) 034 4 & 1#  
4 53 7 2 . 7 5" 3 9.0 43  
.4 04 . 6. 0 4" " 50 .02 7 0 6  
\$:64. + %%'+

Materials  
8 053 4 5 ;;< " ;;< 6 34 " 7 5  
:B DF# 2+\$; ? E ' A 4" ".4 "  
4 (%!##+ 0494 7 ;;< 7 34 ;;<:3 "  
" 34 7704 0 2 7 4 7 5 3 .4  
0 0 #<&0 .6.0 @5"3 .4 "3 44  
" \$ "54 4 ' "2 44 5 3  
5" .. ".0 3" 2 9 . \$ 44 " \*\*'  
.2049 37 4 =2 5 4.\$"4 4. 6'+ 3;<;<  
" 4 334 4. 5 .4 5 ;;< 6  
2 0 ." 7 5 E2.4 4 :0+ \$ 0" B E '+  
8 ;;< 6. 34 " 7 5 ; 22 \$ " " .4 '+  
4 \$ +!5-5' 6.7 5 04 F 0 . 36  
\$ "7 " E '+

Chicken embryo chorioallantoic membrane assay  
" "7 4 " 6 4 .6 0 0 " "  
0 0 53 . 64 404 .6 0 7 2 0"  
% %%552 .40 4 ". .+ 74 !" . 7 034  
K #! 4 &1# " . 7 5 4 0 . 0 4 %  
" + m 7 ;;< " " 5. \$ 55'  
6. 52 4" 4 # 7 "9" 53 .+  
5. "... 6 5" 3 ".004 7 %5 7 %+ K  
54 0 . 64 + 74 ) " . 7 034  
53 . "# .6 =5 "7 4 7 54 7 6  
3 "9.. . 4 @ " 74 52 4" ".3 " ..04  
50 .02+ F.. 7 54 0 . 0 4 6  
." . 49 0 4 . \$# + \*\*('+

Murine matrigel plug angiogenesis assay  
..6.. " .4 64 73 "9.. .7 5  
.30 4 .4.. 7 5 0 4

0". 7 4 B 4 5 " 5 7 < 3 " 2 4  
 .. 4 7 7@ 4 < 3 " + J Clin Endocrinol  
 Metab <., \* ) \*%+  
 # " < 3 > # 8 D .. 5 ?  
 , \$\*\*(+ ? .0 " 4 64 7 04 # " 0 .  
 .. + Proc Natl Acad Sci USA :7,  
 (\*) \*+  
 # > 4 527 > ; 9 00 D ; C >  
 . , \$\*\*(+ .5 . 64 7 04 :  
 " 2 .44 0 0 . , 2 .2 04 9 .4" + Science38,  
 ! ) !!+  
 # 6 < 4 =4 8# + \$% % ' + : .  
 64 7 04 3 " 2 4 ". 4 . .4 0  
 " 2 0 4 .+ J Clin Endocrinol Metab ; ; ! ( ( ) ! \* +  
 # .. # # > B 8 3 .4 + \$% % ' +  
 8 2 " .. 7 .. " . 9 J .0 4  
 3 @. .. + Arterioscler Thromb Vasc Biol3 , \* ) \* +  
 F 7 . ; A 9 .4 C > + \$% % % ' + ? .0 " 4 64  
 7 04 " 4 .7 5 64 7 04 3 4 4 4  
 =2 .. 7 . 64 7 04 3 " 2 4  
 " 9 .. " 4 0 .+ Endocrinology-6- ,  
 % ! ) % ! & +  
 F 7 4 6 C F > + \$ \*\* ! ' + : .  
 64 7 04 3 " 2 4 . 4 .. 3 4 0  
 " 4 0 . . 7 04 7 0 " .4 + Biochem  
 Biophys Res Commun 333 & ( ) (+  
 F ; > 8 .. > 8 4 ; :  
 4 + \$% % % ' + 4 2 = "  
 .. 4 C : < 2 3 4 + Cancer Biol Ther6,  
 % ) % ! +  
 D 9 . D 0 # 4 ; # B # . + \$% % % ' +  
 : . 64 7 04 \$ ; < ' . . A " 7  
 " . 4 " 9 25 4 7 4 3 @. 53 +  
 Int J Dev Biol 6 < ) % +  
 D 0 . ; < B 4 B 5 . + \$ \*\* ' +  
 : . 64 7 04 3 " 2 4 =2 ..  
 . .4 04 " 4 9 4 0 2 4 4 9 .+  
 Endocrinology- , & ) & +  
 D " B D F . F 8 . 8 +  
 \$ \*\* ! ' + 8 4 7 " 4 ; < . 4 .. "  
 . 0 4 3 ; < : " ; < 3 4 +



Endothelial negative regulator of angiogenesis in  
head and neck squamous carcinoma